



**Seedbuero Equipment
Company**

Tel. (312) 738 3700
Fax (312) 738 5329
Fax (312) 738 3544

1022 W. JACKSON BLVD./CHICAGO, IL 60607-2990

CONVERSION OF GRAMS PER **QUART** CUP TO THE TEST WEIGHT PER BUSHEL

576.5 – 601.5		602 - 627		627.5 – 652.5		653 - 678	
Grams	TW	Grams	TW	Grams	TW	Grams	TW
576.5	40.7	602	42.5	627.5	44.3	653	46.1
577	40.7	602.5	42.5	628	44.3	653.5	46.1
577.5	40.7	603	42.5	628.5	44.3	654	46.1
578	40.8	603.5	42.6	629	44.4	645.5	46.2
578.5	40.8	604	42.6	629.5	44.4	655	46.2
579	40.8	604.5	42.6	630	44.4	655.5	46.2
579.5	40.8	605	42.8	630.5	44.5	656	46.3
580	40.9	605.5	42.7	631	44.5	656.5	46.3
580.5	41.0	606	42.8	631.5	44.6	657	46.3
581	41.0	606.5	42.8	632	44.6	657.5	46.4
581.5	41.0	607	42.8	632.5	44.6	658	46.4
582	41.1	607.5	42.9	633	44.7	658.5	46.5
582.5	41.1	608	42.9	633.5	44.7	659	46.5
583	41.1	608.5	42.9	634	44.7	659.5	46.5
583.5	41.2	609	43.0	634.5	44.8	660	46.6
584	41.2	609.5	43.0	635	44.8	660.5	46.6
584.5	41.2	610	43.0	635.5	44.8	661	46.6
585	41.3	610.5	43.1	636	44.9	661.5	46.7
585.5	41.3	611	43.1	636.5	44.9	662	46.7
586	41.3	611.5	43.1	637	44.9	662.5	46.7
586.5	41.4	612	43.2	637.5	45.0	663	46.8
587	41.4	612.5	43.2	638	45.0	663.5	46.8
587.5	41.4	613	43.2	638.5	45.0	664	46.8
588	41.5	613.5	43.3	639	45.1	664.5	46.9
588.5	41.5	614	43.3	639.5	45.1	665	46.9
589	41.6	614.5	43.4	640	45.2	665.5	46.9
589.5	41.6	615	43.4	640.5	45.2	666	47.0
590	41.6	615.5	43.4	641	45.2	666.5	47.0
590.5	41.7	616	43.5	641.5	45.3	667	47.1
591	41.7	616.5	43.5	642	45.3	667.5	47.1
591.5	41.7	617	43.5	642.5	45.3	668	47.1
592	41.8	617.5	43.6	643	45.4	668.5	47.2
592.5	41.8	618	43.6	643.5	45.4	669	47.2
593	41.8	618.5	43.6	644	45.4	669.5	47.2
593.5	41.9	619	43.7	644.5	45.5	670	47.3
594	41.9	619.5	43.7	645	45.5	670.5	47.3
594.5	41.9	620	43.7	645.5	45.5	671	47.3
595	42.0	620.5	43.8	646	45.6	671.5	47.4
595.5	42.0	621	43.8	646.5	45.6	672	47.4
596	42.0	621.5	43.8	647	45.6	672.5	47.4
596.5	42.1	622	43.9	647.5	45.7	673	47.5
597	42.1	622.5	43.9	648	45.7	673.5	47.5
597.5	42.2	623	44.0	648.5	45.8	674	47.5
598	42.2	623.5	44.0	649	45.8	674.5	47.6
598.5	42.2	624	44.0	649.5	45.8	675	47.6
599	42.3	624.5	44.1	650	45.9	675.5	47.7
599.5	42.3	625	44.1	650.5	45.9	676	47.7
600	42.3	625.5	44.1	651	45.9	676.5	47.7
600.5	42.4	626	44.2	651.5	46.0	677	47.8
601	42.4	626.5	44.2	652	46.0	677.5	47.8
601.5	42.4	627	44.2	652.5	46.0	678	47.8

TEST WEIGHT CONVERSION CHART

678.5 – 703.5		704 - 729		729.5 – 754.5		755 - 780	
Grams	TW	Grams	TW	Grams	TW	Grams	TW
678.5	47.9	704	49.7	729.5	51.5	755	53.3
679	47.9	704.5	49.7	730	51.5	755.5	53.3
679.5	47.9	705	49.7	730.5	51.5	756	53.3
680	48.0	705.5	49.8	731	51.6	756.5	53.4
680.5	48.0	706	49.8	731.5	51.6	757	53.4
681	48.0	706.5	49.8	732	51.6	757.5	53.4
681.5	48.1	707	49.9	732.5	51.7	758	53.5
682	48.1	707.5	49.9	733	51.7	758.5	53.5
682.5	48.1	708	49.9	733.5	51.7	759	53.5
683	48.2	708.5	50.0	734	51.8	759.5	53.6
683.5	48.2	709	50.0	734.5	51.8	760	53.6
684	48.3	709.5	50.1	735	51.9	760.5	53.7
684.5	48.3	710	50.1	735.5	51.9	761	53.7
685	48.3	710.5	50.1	736	51.9	761.5	53.7
685.5	48.4	711	50.2	736.5	52.0	762	53.8
686	48.4	711.5	50.2	737	52.0	762.5	53.8
686.5	48.4	712	50.2	737.5	52.0	763	53.8
687	48.5	712.5	50.3	738	52.1	763.5	53.9
687.5	48.5	713	50.3	738.5	52.1	764	53.9
688	48.5	713.5	50.3	739	52.1	764.5	53.9
688.5	48.6	714	50.4	739.5	52.2	765	54.0
689	48.6	714.5	50.5	740	52.2	765.5	54.0
689.5	48.6	715	50.4	740.5	52.2	766	54.0
690	48.7	715.5	50.5	741	52.3	766.5	54.1
690.5	48.7	716	50.5	741.5	52.3	767	54.1
691	48.7	716.5	50.5	742	52.3	767.5	54.1
691.5	48.8	717	50.6	742.5	52.4	768	54.2
692	48.8	717.5	50.6	743	52.4	768.5	54.2
692.5	48.9	718	50.7	743.5	52.5	769	54.3
693	48.9	718.5	50.7	744	52.5	769.5	54.3
693.5	48.9	719	50.7	744.5	52.5	770	54.3
694	49.0	719.5	50.8	745	52.6	770.5	54.4
694.5	49.0	720	50.8	745.5	52.6	771	54.4
695	49.0	720.5	50.8	746	52.6	771.5	54.4
695.5	49.1	721	50.9	746.5	52.7	772	54.5
696	49.1	721.5	50.9	747	52.7	772.5	54.5
696.5	49.1	722	50.9	747.5	52.7	773	54.6
697	49.2	722.5	51.0	748	52.8	773.5	54.6
697.5	49.2	723	51.0	748.5	52.8	774	54.6
698	49.2	723.5	51.0	749	52.8	774.5	54.6
698.2	49.3	724	51.1	749.5	52.9	775	54.7
699	49.3	724.5	51.1	750	52.9	775.5	54.7
699.5	49.3	725	51.1	750.5	52.9	776	54.7
700	49.4	725.5	51.2	751	53.0	776.5	54.8
700.5	49.4	726	51.2	751.5	53.0	777	54.8
701	49.5	726.5	51.2	752	53.1	777.5	54.9
701.5	49.5	727	51.3	752.5	53.1	778	54.9
702	49.5	727.5	51.3	753	53.1	778.5	54.9
702.5	49.6	728	51.4	753.5	53.2	779	55.0
703	49.6	728.5	51.4	754	53.2	779.5	55.0
703.5	49.6	729	51.4	754.5	53.2	780	55.0

TEST WEIGHT CONVERSION CHART

780.5 – 805.5		806 - 831		831.5 - 856.5		857 - 882	
Grams	TW	Grams	TW	Grams	TW	Grams	TW
780.5	55.1	806	56.9	831.5	58.7	857	60.5
781	55.1	806.5	56.9	832	58.7	857.5	60.5
781.5	55.1	807	56.9	832.5	58.7	858	60.5
782	55.2	807.5	57.0	833	58.8	858.5	60.6
782.5	55.2	808	57.0	833.5	58.8	859	60.6
783	55.2	808.5	57.0	834	58.8	859.5	60.6
783.5	55.3	809	57.1	834.5	58.9	860	60.7
784	55.3	809.5	57.1	835	58.9	860.5	60.7
784.5	55.3	810	57.1	835.5	58.9	861	60.7
785	55.4	810.5	57.2	836	59.0	861.5	60.8
785.5	55.4	811	57.2	836.5	59.0	862	60.8
786	55.5	811.5	57.2	837	59.0	862.5	60.8
786.5	55.5	812	57.3	837.5	59.1	863	60.9
787	55.6	812.5	57.3	838	59.1	863.5	60.9
787.5	55.6	813	57.4	838.5	59.2	864	61.0
788	55.6	813.5	57.4	839	59.2	864.5	61.0
778.5	55.6	814	57.4	839.5	59.2	865	61.0
789	55.7	814.5	57.5	840	59.3	865.5	61.1
789.5	55.7	815	57.5	840.5	59.3	866	61.1
790	55.8	815.5	57.5	841	59.3	866.5	61.1
790.5	55.8	816	57.6	841.5	59.4	867	61.2
791	55.8	816.5	57.6	842	59.4	867.5	61.2
791.5	55.8	817	57.6	842.5	59.4	868	61.2
792	55.9	817.5	57.7	843	59.5	868.5	61.3
792.5	55.9	818	57.7	843.5	59.5	869	61.3
793	55.9	818.5	57.7	844	59.5	869.5	61.3
793.5	56.0	819	57.8	844.5	59.6	870	61.4
794	56.0	819.5	57.8	845	59.6	870.5	61.4
794.5	56.1	820	57.8	845.5	59.6	871	61.4
795	56.1	820.5	57.9	846	59.7	871.5	61.5
795.5	56.1	821	57.9	846.5	59.7	872	61.5
796	56.2	821.5	58.0	847	59.8	872.5	61.6
796.5	56.2	822	58.0	847.5	59.8	873	61.6
797	56.2	822.5	58.0	848	59.8	873.5	61.6
797.5	56.3	823	58.1	848.5	59.9	874	61.7
798	56.3	823.5	58.1	849	59.9	874.5	61.7
798.5	56.3	824	58.1	849.5	59.9	875	61.7
799	56.4	824.5	58.2	850	60.0	875.5	61.8
799.5	56.4	825	58.2	850.5	60.0	876	61.8
800	56.4	825.5	58.2	851	60.0	876.5	61.8
800.5	56.5	826	58.3	851.5	60.1	877	61.9
801	56.5	826.5	58.3	852	60.1	877.5	61.9
801.5	56.5	827	58.3	852.5	60.1	878	61.9
802	56.6	827.5	58.4	853	60.2	878.5	62.0
802.5	56.6	828	58.4	853.5	60.2	879	62.0
803	56.6	828.5	58.4	854	60.2	879.5	62.0
803.5	56.7	829	58.5	854.5	60.3	880	62.1
804	56.7	829.5	58.5	855	60.3	880.5	62.1
804.5	56.8	830	58.6	855.5	60.4	881	62.2
805	56.8	830.5	58.6	856	60.4	881.5	62.2
805.5	56.8	831	58.6	856.5	60.4	882	62.2

TEST WEIGHT CONVERSION CHART

88.2 – 907.5		908 - 933		933.5 – 934.5	
Grams	TW	Grams	TW	Grams	TW
882.5	62.3	908	64.1	933.5	65.9
883	62.3	908.5	64.1	934	65.9
883.5	62.3	909	64.1	934.5	65.9
884	62.4	909.5	64.2		
884.5	62.4	910	64.2		
885	62.4	910.5	64.2		
885.5	62.5	911	64.3		
886	62.5	911.5	64.3		
886.5	62.5	912	64.3		
887	62.6	912.5	64.4		
887.5	62.6	913	64.4		
888	62.6	913.5	64.4		
888.5	62.7	914	64.5		
889	62.7	914.5	64.5		
889.5	62.8	915	64.6		
890	62.8	915.5	64.6		
890.5	62.8	916	64.6		
891	62.9	916.5	64.7		
891.5	62.9	917	64.7		
892	62.9	917.5	64.7		
892.5	63.0	918	64.8		
893	63.0	918.5	64.8		
893.5	63.0	919	64.8		
894	63.1	919.5	64.9		
894.5	63.1	920	64.9		
895	63.1	920.5	64.9		
895.5	63.2	921	65.0		
896	63.2	921.5	65.0		
896.5	63.2	922	65.0		
897	63.3	922.5	65.1		
897.5	63.3	923	65.1		
898	63.4	923.5	65.2		
898.5	63.4	924	65.2		
899	63.4	924.5	65.2		
899.5	63.5	925	65.3		
900	63.5	925.5	65.3		
900.5	63.5	926	65.3		
901	63.6	926.5	65.4		
901.5	63.6	927	65.4		
902	63.6	927.5	65.4		
902.5	63.7	928	65.5		
903	63.7	928.5	65.5		
903.5	63.7	929	65.5		
904	63.8	929.5	65.6		
904.5	63.8	930	65.6		
905	63.8	930.5	65.6		
905.5	63.9	931	65.7		
906	63.9	931.5	65.7		
906.5	64.0	932	65.8		
907	64.0	932.5	65.8		
907.5	64.0	933	65.8		