

BLANKET

Manufactured by: J. Alderink LLC

SS-C-2

Specification Sheet

The SS-C-2 erosion control blanket is a double-netted blanket made with 100% coconut (coir) fibers. The coconut fibers are stitched in the net at a rate of $\frac{1}{2}$ lb. /yd². The netting and thread is made of UV stabilized polypropylene material. The netting opening on both sides of the net is $\frac{1}{2}$ x $\frac{1}{2}$ inches. The stitch spacing of the polypropylene thread is 1.5 x 1.5 inches per stitch. At least 80% of the coconut fiber length is 3 inches. The lifespan of the netting and thread is 24-36 months after rolled out to its width depending on light, moisture, and other environmental conditions. Each roll has a distinguishing tag explaining what the product specifications are.

Standard Roll Details

| Width | 8f ft. (2.44m) | 16 ft. (4.88m) |
|--------|-------------------|-------------------|
| Length | 112.5 ft. (34.3m) | 112.5 ft. (34.3m) |
| Area | 100 yd² | 200 yd² |
| Weight | 50 lb. | 100 lb. |

Big Blanket Details

| Width | 8ft (2.44m) | 16ft (4.88m) |
|--------|--------------------|--------------------|
| Length | 562.5 ft. (171.5m) | 562.5 ft. (171.5m) |
| Area | 500 yd² | 1000 yd² |
| Weight | 250 lb. | 500 lb. |

Physical Characteristics

Polymer Type: Polypropylene Structure: Quadrangular

Color: Black UV Stabilized